

Index

- \exists , *see* existential quantifier
- \forall , *see* universal quantifier
- \oplus , *see* xor operator
- \rightarrow , *see* implies operator
- $\overline{\&}$, *see* nand operator
- $\bar{|}$, *see* nor operator
- \leftrightarrow , *see* iff operator
- $\&$, *see* and operator
- $|$, *see* or operator
- \vdash , *see* provability
- \models , *see* entailment
- \sim , *see* not operator
- 3-CNF, 38

- affineness of a Boolean function, 49
- and operator
 - semantics, 25, 32, 33, 46–48, 50
 - syntax, 11, 30, 32, 94, 100, 106
- antecedent, 72
- arity
 - of a function, 118, 124
 - of a relation, 119, 124, 129, 224
 - of an operator, 39, 41, 44, 46, 106
- assignment (in predicate logic), 118–120, 126, 152, 163, 174
- assumption
 - of a proof
 - in predicate logic, 91, 138, 153, 154, 156, 162, 163, 169, 170, 244, 255
 - in propositional logic, 57, 58, 64, 71, 74, 86, 87
 - of an inference rule, 51, 52, 57, 58, 72, 75–77, 80, 89
- axiom, *see also* axiomatic system
 - in predicate logic, 153, 156, 162, 170, 171, 174, 175, 210, 245, 248, 249, 255
 - in propositional logic, 74, 77, 78, 81, 95, 165
- axiom schema, *see* schema, *see also* axiom
- axiomatic system
 - for predicate logic, 171, 173, 210, 223, 241, 244, 245, 248, 249, 254, 255, 257
 - for propositional logic, 72, 74, 81, 82, 84, 95, 165, 257, *see also* Hilbert axiomatic system, *see also* schema equivalents of a propositional axiomatic system
- binary operator, 12, 39, 106, 216, *see also* arity of an operator
- bound occurrence (of a variable name), 114, 120, 208, 214

- Cantor’s theorem, 243
- capturing an assignment by a formula, 83, 85, 97
- clause
 - conjunctive, 30
 - disjunctive, 31, 32, 38
- closed set of sentences, 224, 227, 229, 232, 240–243, 255
- closure of a set of sentences, *see* closed set of sentences
- CNF, 32, 33, 37, 38
- CNF theorem, 32, 33
- coloring (of a graph), 34, 36–38
- compactness theorem
 - for predicate logic, 244, 245
 - for propositional logic, 91–94, 244, 245
- compilation, 127
- completeness
 - of a proof system
 - in predicate logic, 227, 243, 248
 - in propositional logic, 81, 90, 91, 93, 248
 - of a set of axioms, 248, 249, 253–255
 - of a set of operators, 44, 46–48, 50, 81, 94, 106
- completeness theorem
 - for predicate logic, 223, 232, 240, 241, 243–245, 248

- for propositional logic, 87, 89–91, 93, 94, 244, 245, 248
- computational search, 34, 37, 38
- conclusion
 - of a proof
 - in predicate logic, 138, 153, 154
 - in propositional logic, 57, 58, 64, 74
 - of an inference rule, 51, 52, 57, 58, 72
- conjunction operator, *see* and operator
- conjunctive normal form, *see* CNF
- consequent, 72
- consistency, 77, 79, 80, 90, 91, 93, 94, 205, 223, 227, 231–237, 239–245, 255
- consistency-preserving closure lemma, 232, 242, 243
- constant (in propositional logic), 12, *see also* nullary operator
- constant name (in predicate logic)
 - as a template (in a schema), 140, 174
 - semantics, 116, 118, 224
 - syntax, 104, 110, 224, 229, 234–236, 239, 240, 242
- contradiction
 - semantic, 29, 77, 205
 - syntactic, 77, *see also* inconsistency, *see also* proof by way of contradiction
- countable, *see* countably infinite
- countably infinite, 19, 92, 115, 242, 243
- D axiom, 74–76, 80, 82, 165
- deduction theorem
 - for predicate logic, 204, 234
 - for propositional logic, 75–77, 80, 87, 98, 203
- derivation tree, 13, 16, 19, 111, 113
- diagonalization, 252
- disjunction operator, *see* or operator
- disjunctive normal form, *see* DNF
- DNF, 30, 31, 33, 34, 37, 38, 44
- DNF theorem, 31, 44
- double implication operator, *see* iff operator
- EI axiom schema, 172, 174, 177, 208
- encoding an inference rule by an axiom, 72, 83, 89
- entailment
 - in predicate logic, 162, 163, 244, 248
 - in propositional logic, 52, 53, 63, 64, 71, 88, 90, 93
- equality relation
 - semantics, 119, 131–133, 135, 172
 - syntax, 106, 110, 131, 135, 223, 224, 229
- equality-free analog
 - of a formula, 131
 - of a model, 132–135
 - of a set of formulas, 135
- ES axiom schema, 172, 174, 177, 208
- evaluation
 - of a formula, *see* truth value
 - of a term (in predicate logic), *see* value
- exclusive or operator, *see* xor operator
- existential derivation, 184
- existential introduction, *see* EI axiom schema
- existential quantifier
 - semantics, 120, 164, 171, 228
 - syntax, 106, 172, 207–209, 225, 229, 231, 239, 240, 242, 243
- existential simplification, *see* ES axiom schema
- existential witness, 225, 236, 239, 240, 242
- existentially closed set of sentences, 224, 228, 236, 239, 240, 243
- expression (in predicate logic), 115
- F constant (nullary operator)
 - semantics, 25, 46, 48, 50
 - syntax, 11, 77, 94
- field, 197, 248
- first-order logic, *see* predicate logic
- first-order predicate logic, *see* predicate logic
- formula
 - in predicate logic, 106, 109, 110, 113, 115, 119–121, 126–128, 130, 135, 152, 160, 162, 205, 208, 214, 223, 229, 240, 242–244, 249–251, *see also* sentence
 - in propositional logic, 11, 13, 14, 16, 17, 19, 20, 24, 25, 28–34, 37, 38, 47, 51, 52, 54, 58, 77, 78, 80, 83, 88, 90–93, 160
- Formula class
 - of the `predicates` package (predicate logic), 106, 109
 - of the `propositions` package (propositional logic), 13, 14
- free instantiation, 190
- free occurrence (of a variable name), 113, 114, 119, 120, 163, 164, 174, 208, 214

- free variable name, 113, 114, 120, 126, 152, 163, 173, 204, 206, 208, 223, 229, 245
- `@frozen` decorator, 14, 109
- function invocation
 - semantics, 118, 124, 126
 - syntax, 104, 123, 126, 127, 130, 223, 224, 229
- function name, 104, 116, 118, 123, 124, 126
- function-free analog
 - of a formula, 126–128
 - of a model, 124–126
 - of a set of formulas, 130
- Gödel numbering, 249, 250
- group, 188, 247, 248
- \mathcal{H} , *see* Hilbert axiomatic system
- halting (by a program), 250–254
- halting problem, 251–254
- Henkin constant, *see* witnessing constant name
- Hilbert axiomatic system, 83, 85, 88, 90, 91, 93, 96, 97, 99, 100, 169, 170
- hypothetical syllogism, 76, 98
- I0 axiom, 63, 74–77, 80, 81, 165
- I1 axiom, 74–76, 80, 81, 84, 165
- I2 axiom, 77, 78, 80, 82, 84, 165
- iff operator
 - semantics, 40, 47, 48
 - syntax, 40
- implication operator, *see* implies operator
- implies operator
 - semantics, 25, 26, 46, 47, 71, 163
 - syntax, 12, 71, 72, 74, 76, 84, 106
- incompleteness, *see* completeness of a set of axioms
- incompleteness theorem, 249, 252–254
- inconsistency, *see* consistency
- induction axiom schema, 199
- inference (in predicate logic), 162, 163, 175, 182
- inference rule
 - in predicate logic, 153, 154, 157, 159, 255
 - in propositional logic, 51, 52, 54, 57, 58, 63, 64, 68, 70–72, 74, 76, 89, 182
- `InferenceRule` class, 51
- instance (of a schema), 139–142, 146, 152, 154, 165, 174, 237
- instantiation (of a schema), *see* instance
- interpretation, 116, 124, 129, 131, 224
- lemma, 67, 68, 70
- lemma theorem, 69, 70, 74, 76, 80, 83, 96, 97, 99, 100
- Löwenheim–Skolem theorem, 243
- ME axiom schema, 174, 177, 189, 193, 195
- meaning of equality axiom schema, *see* ME axiom schema
- model
 - in predicate logic, 116, 118–121, 124–127, 131, 133–135, 152, 162, 163, 174, 223, 224, 227–229, 231, 241, 243–245, 251, 255
 - in propositional logic, 24–30, 32, 34, 36, 52, 64, 71, 83, 85–87, 91–94, 97, 162, 163, 245
- `Model` class, 116
- modus ponens, *see* MP inference rule
- monotonicity of a Boolean function, 48
- MP inference rule, 70–72, 75–77, 80, 81, 83, 153, 154, 157, 162–165, 169, 183, 237
- multiplexer operator, *see* mux operator
- mux operator, 41, 46, 47, 50
- N axiom, 79, 80, 82, 165
- n -ary function, *see* arity of a function
- n -ary operator, *see* arity of an operator
- n -ary relation, *see* arity of a relation
- nand operator
 - semantics, 40, 46
 - syntax, 40
- negation operator, *see* not operator
- NI axiom, 82, 84, 165
- NN axiom, 82, 84, 165
- non-implication operator, 49, 50
- nor operator
 - semantics, 40, 46
 - syntax, 40
- not operator
 - semantics, 25, 29, 33, 46–48
 - syntax, 11, 30, 31, 38, 76–78, 83, 84, 99, 106, 206, 215, 224, 228, 231, 233, 234, 242, 244
- notation
 - infix, 20, 109
 - polish, 20, 109
 - postfix, *see* notation, reverse polish
 - prefix, *see* notation, polish
 - reverse polish, 20, 109

- NP-completeness, 37, 38, 77
- nullary operator, 39, *see also* arity of an operator
- operator, 12, 39, 41, 44, 46, 47, 49, 94, 106, 229
- or operator
- semantics, 25, 30, 33, 47, 48, 50
 - syntax, 12, 30, 31, 38, 94, 100, 106
- parametrized formula, 141, 142, 171–174, 209
- parsing, 13, 16, 18, 110, 253
- Peano arithmetic, 198, 249–251, 254, 255
- predicate logic, 103
- prefix-free, 17, 110
- prenex normal form, 207, 208, 227, 229, 232, 240–242
- prenex normal form theorem, 208, 209, 221, 223, 243
- primitive sentence, 224, 228, 229, 231, 232, 234, 240
- primitively closed set of sentences, 224, 228, 232, 234, 240, 243
- program, 249–251, 253, 254
- proof, *see also* provability
- in predicate logic, 138, 153, 154, 162, 164, 165, 169, 175, 237, 242, 244, 245, 249, 253–255
 - in propositional logic, 57, 58, 64, 67, 71, 74, 75, 83, 86, 87, 89, 91, 164, 165
- proof by way of contradiction, 76, 77, 80, 205
- Proof class**
- of the `predicates` package (predicate logic), 154, 175
 - of the `propositions` package (propositional logic), 58, 67
- propositional formula, *see* formula in propositional logic
- propositional logic, 11
- propositional skeleton
- of a predicate-logic formula, 160, 163–166, 173, 231, 237
 - of an inference (in predicate logic), 182
- provability, *see also* proof
- in predicate logic, 162, 163, 170, 175, 205, 206, 208, 237, 241, 244, 245, 248, 254
 - in propositional logic, 58, 63, 68, 70–72, 74, 76, 78, 80, 82, 85, 87–90, 93, 97, 165
- Prover class**, 175
- quantification
- existential, *see* existential quantifier
 - universal, *see* universal quantifier
- Quine arrow operator, *see* nor operator
- R axiom**, 82, 87, 165
- reduction, 37, 38
- redundance of equality theorem, 135, 223, 224, 229
- redundance of functions theorem, 130, 223, 224, 229
- reflexivity
- axiom schema, *see* RX axiom schema of equality, 131
- relation corresponding to function, 124–127, 129
- relation invocation
- semantics, 119, 124, 224
 - syntax, 106, 126, 129, 224, 229
- relation name, 106, 116, 119, 123, 124, 126, 131, 242
- as a template (in a schema), 141, 174
- Russell’s paradox, 201
- RX axiom schema**, 172, 174, 177, 189, 193
- satisfiability, 29, 34, 36–38
- schema, 139–141, 152, 162, 169–175, 223, 241, 243–245, 249, 255
- Schema class**, 139–141
- schema equivalents of a propositional axiomatic system, 164, 165, 169–171, 232, 241, 257
- scope of quantification, 106, 120, 208
- sentence, 173, 204, 223, 227–229, 231, 232, 234, 235, 239, 240, 242, 244, 245, 248, 250, 253, 255
- Sheffer stroke operator, *see* nand operator
- Skolem’s paradox, 243
- soundness
- of a predicate-logic formula, 152, 162
 - of a propositional formula, *see* tautology in propositional logic
 - of a schema, 152, 163, 165, 174
 - of an inference (in predicate logic), 162, 163, 175

- of an inference rule, 52, 63–65, 71, 72, 74, 77, 79, 82, 89, 90, 95, 182
- soundness theorem
 - for predicate logic, 163, 165, 175, 223, 241, 243–245, 248, 254
 - for propositional logic, 63–65, 81, 88, 90, 94, 245
 - of proofs by way of contradiction
 - for predicate logic, 205, 206, 245
 - for propositional logic, 79, 80, 90, 94
- specialization (of an inference rule), 54, 55, 58, 64, 65, 68, 165
- specialization provability lemma, 68
- specialization soundness lemma, 64, 65, 152
- syllogism, 138, 177, 180, 183, *see also* hypothetical syllogism
- symmetry of equality, 131, 189
- T constant (nullary operator)
 - semantics, 25, 47, 48
 - syntax, 11, 94
- T-preservation, 47
- tautological implication, 181–183, 205, 232
- tautology
 - in predicate logic, 154, 160, 162–165, 169, 170, 173, 206, 223, 231, 232, 237, 241
 - in propositional logic, 29, 34, 37, 53, 71, 87–89, 154, 160, 164, 165
- tautology theorem
 - predicate-logic version, 169, 232
 - propositional-logic version, 87, 88, 137, 165
- template (in a schema), 139–141
- term (in predicate logic), 104, 105, 110, 111, 115, 118
- Term class, 104, 105
- ternary operator, 41, *see also* arity of an operator
- testing, 6, 7
- transitivity of equality, 131, 195
- truth table, 28, 30–33, 41, 44, 47, 81
- truth value
 - of a predicate-logic formula, 119–121, 126, 162, 163, 173, 175, 231
 - of a propositional formula, 24–26, 28–33, 52, 64, 85, 93, 97, 163
- UG inference rule, 154, 159, 162–164, 173, 204, 206, 223, 237, 241
- UI axiom schema, 171, 173, 174, 177, 208, 223, 241, 245
- unary operator, 12, 39, 106, *see also* arity of an operator
- undecidability theorem, 252–254
- unique readability theorem
 - of predicate-logic formulas, 113
 - of propositional formulas, 19
 - of terms (in predicate logic), 111
- uniquely named variables, 214
- universal generalization, *see* UG inference rule
- universal instantiation
 - axiom schema, *see* UI axiom schema
 - of a predicate-logic formula, 178, 225, 234, 235, 240, 242
- universal quantifier
 - semantics, 119, 120, 163, 164, 171, 173, 175, 228
 - syntax, 106, 138, 171, 172, 207–209, 223, 225, 229, 231, 235, 240, 242, 243, 245
- universal simplification, *see* US axiom schema
- universally closed set of sentences, 224, 228, 234, 235, 240, 243
- universe (of a model), 116, 124, 134, 224
- US axiom schema, 172, 174, 177, 204, 205, 208
- value (of a term in predicate logic), 118, 133, 175
- variable name
 - in predicate logic
 - as a template (in a schema), 140, 174
 - semantics, 118–120, 126, 175
 - syntax, 104, 106, 110, 127, 209, 214, 229
 - in propositional logic
 - semantics, 24–28, 30–34, 36, 83, 93, 163
 - syntax, 11, 17, 19, 30, 31, 38, 54, 55, 83, 92, 160, 182
- witnessing constant name, 236, 239
- xor operator
 - semantics, 40, 48–50
 - syntax, 40
- ZF, 202
- ZFC, 202, 243, 244, 246, 249

